


Yantai Lonreytek Technology Co. Ltd

Web:www.lonreytek.com Email: Info@lonreytek.com Tel: 0086 0535-2343399 Address: No.2512-2 No.25 Haigang Road Zhifu District Yantai City Shandong Province China Zip 264001

Smart Constellation Splicing Light



NX-ST64

Technical Specification

Voltage: DC 12V Max Current: 2A

Wireless Type: WiFi 2.4GHz

Radio Technology: IEEE 802.11B/G/N

Shell Material: PC **Product Feature**

Scientific design, shape your light

RGB full color, 16 million color effects

Voice control

Music mode

Set Schedules / Timers

Countdown

Group control

Multi scenario application

Compatible with Alexa, Google assistant









Timing: Flexible Timing

Round Connector Size(mm): Ø40* H33 Single Size(mm): L280* W20* H10

Lighting Color: RGBIC+W






























Adjust the light rhythm

according to the sound

Swing according to your rhythm and music, your own light rhythm.

Smart Wall Light















Technical Specification

Voltage: DC 24V Max Current: 1.5A

Wireless Type: WiFi 2.4GHz

Radio Technology: IEEE 802.11B/G/N

Shell Material: PC **Product Feature**

Scientific design, shape your light

RGB full color, 16 million color effects

Voice control

Music mode

Set Schedules / Timers

Countdown

Group control

Multi scenario application

Compatible with Alexa, Google assistant









Timing: Flexible Timing

Light Bar Size(mm): L270* W30* H33 Connector Size(mm): L60* W68* H28

Lighting Color: RGBIC































Smart Wall Light



NX-ST66

Technical Specification

Voltage: DC 24V Max Current: 1.5A

Wireless Type: WiFi 2.4GHz

Radio Technology: IEEE 802.11B/G/N

Shell Material : PC **Product Feature**

Scientific design, shape your light

RGB full color, 16 million color effects

Voice control

Music mode

Set Schedules / Timers

Countdown

Group control

Multi scenario application

Compatible with Alexa, Google assistant









Timing: Flexible Timing

Light Bar Size(mm): L270* W30* H33 Connector Size(mm): L60* W68* H28

Lighting Color: RGBIC

































Smart Wall Light



NX-ST67

Technical Specification

Input Voltage: 24V Max Current: 1.5A Shell Material: PC

Radio Technology: IEEE 802.11B/G/N

Wireless Type : WiFi 2.4GHz

Product Feature

Scientific design, shape your light RGB full color, 16 million color effects

Voice control

Music mode

Set Schedules / Timers

Countdown

Group control

Multi scenario application

Compatible with Alexa, Google assistant







LED Color: RGBIC

Product Weight (kg): about 0.75 Single Size(mm): L270* W30* H33 Corner size(mm): L75* W30* H33

App support: ISO 8.0 or Android 4.1 and higher
































Smart Wall Light Shape your light



NX-ST63

Technical Specification

Input Voltage: 24V Max Current: 1.5A Shell Material: PC

Radio Technology: IEEE 802.11B/G/N

Wireless Type: WiFi 2.4GHz

Product Feature

Scientific design, shape your light RGB full color, 16 million color effects

Voice control

Music mode

Set Schedules / Timers

Countdown

Group control

Multi scenario application

Compatible with Alexa, Google assistant



(€



LED Color: RGBIC

Product Weight (kg): about 0.75 Single Size(mm): L370* W30* H25 Corner size(mm): L70* W30* H25

App support: ISO 8.0 or Android 4.1 and higher





APP Control
































HDMI Sync Box Lighting Kits



K90





Technical Specification

Power voltage: 12V/24V LED Light Stip: 5050 60LED/M

Wireless Type: WiFi-2.4G / Whole-house simulation 2.4G Control Method: App +Manual Control+Voice Control

Video Resolution: Up to 4K/60P

FC





Lighting Color: RGBIC Timing: Flexible Timing Music Response: Support

Product Feature

Voice control

Music mode

Set Schedules / Timers

Countdown

Group control

Multi scenario application


Innovative technology, allows for real-time

Compatible with Alexa, Google assistant


color syncing the screen

RGBIC designed, enhance the entertainment effects









HDMI Sync Box Lighting Kits



K90B



Power Voltage: 12V 4A

LED Light Stip: 5050 60LED/M

Wireless Type: WiFi-2.4G / Whole-house simulation 2.4G Control Method: App +Manual Control+Voice Control

Video Resolution: Up to 4K/60P

Product Feature

Innovative technology, allows for real-time

color syncing the screen

RGBIC designed, enhance the entertainment effects

Voice control

Music mode

Set Schedules / Timers

Countdown

Group control

Multi scenario application

Compatible with Alexa, Google assistant







Light Bars: L90*W90*H463mm Lighting Color: RGBIC (27LED*2)

Timing: Flexible Timing

Music Response: Support



Voice Control





APP Control

amazon alexa


















LED TV Backlight **Immersion**



NX-K88

Technical Specification

Voltage: DC 12V Max Current: 2A

Wireless Type: WiFi 2.4GHz Camera Data Cable: Type-C Data Cable Length: 60cm

Product Feature

Capture technology, allows for real-time

color syncing the screen

RGBIC designed, enhance the

entertainment effects

Voice control

Music mode

Set Schedules / Timers

Countdown

Group control

Multi scenario application









Timing: Flexible Timing

Control Method: App +Manual Control+Voice Control

Radio Technology: IEEE 802.11B/G/N Lighting Color: RGBIC (30LED/M)































LED TV Backlight Kit **Immersion**



NX-K88B

Technical Specification

Power Input: 12V 2A

Lighting Color: RGBIC (30LED/M)

Control Method: App +Manual Control+

Voice control

Wireless Type: WiFi 2.4GHz

Product Feature

Capture technology, allows for real-time

color syncing the screen

RGBIC designed, enhance the

entertainment effects

Voice control

Music mode

Set Schedules / Timers

Countdown

Group control

Multi scenario application



(€





Camera data cable: Type-c Data Cable Length: 60cm

Height for Light Bars: 46.3cm (27LED*2) Length for TV LED Backlights: 12.5ft / 3.8m

Product Warranty: 1 Year





















APP Control













Smart Light Bars Music rhythm



NX-K83

Technical Specification

Voltage: DC 12V Max Current: 1A

Product Size(cm): 46.3

Lighting Color: RGBIC (27LED*2)

Wireless Type : WiFi 2.4GHz

Product Feature

RGB full color, 16 million color effects

Voice control

Music mode

Set Schedules / Timers

Countdown

Group control

Multi scenario application

Compatible with Alexa, Google assistant



((



Shell Material: Aluminium ABS+PC

Timing: Flexible Timing

Application: Amazon Alexa, Google Home,

Yandex Alice

















Device Sharin















Smart Corner Lamp Music rhythm



NX-ST62

Technical Specification

Input Voltage: 12V Max Current: 2A

Shell Material: Aluminium, ABS+PC Radio Technology: IEEE 802.11B/G/N

Wireless Type: WiFi 2.4GHz

Product Feature

Scientific design, segmented installation RGB full color, 16 million color effects

Voice control

Music mode

Set Schedules / Timers

Countdown

Group control

Multi scenario application

Compatible with Alexa, Google assistant



Product Weight (kg): about 1.27
Product Size(cm): about 150*10*10

App support: ISO 8.0 or Android 4.1 and higher
































Smart LED Light Strip



Technical Specification

Input Voltage: AC 100V-240V / 50-60Hz

Output Voltage: DC 12V

Max Current: 2A Rated power: 24W

Wireless Connect: Wi-Fi IEEE 802.11 b/g/n

Product Feature

RGB full color, 16 million color effects

Voice control

Music mode

Set Schedules / Timers

Countdown

Group control

Multi scenario application

Compatible with Alexa, Google assistant




















APP Control























Smart Moon Lamp



NX-ST50

Technical Specification

Input Voltage: 5V 1A (max)

Shell Material: Flame retarding UL94 V0 class ABS + PC Radio Technology: IEEE 802.11B / G / N Bluetooth 4.2 Compatible: Amazon Alexa, Google Home, Yandex Alice

LED Parameters: 13000K(CW); 2800-3200K(WW)

Product Feature

Wi-Fi enabled

Mobile remote control

Voice control

Music mode

Set Schedules / Timers

Countdown

Sharing

Group control

Multi scenario application

Compatible with Alexa or Google assistant







Operating:-10°C-40°C RH≤80%

Storage: -20°C-70°C RH ≤ 80%

Cable: 1.8m Net weight: 90g Product Weight (g): about 270



























Smart Moon Lamp



NX-ST51

Technical Specification

Input Voltage: 5V 1A (max)

Shell Material: Flame retarding UL94 V0 class ABS + PC Radio Technology: IEEE 802.11B / G / N Bluetooth 4.2 Compatible: Amazon Alexa, Google Home, Yandex Alice

LED Parameters (RGB): 623nm(R); 527nm(G); 468nm(B)

Product Feature

Dimmable

Group control

Music mode

Smart secenes setting

Remote control from anywhere

Support brightness adjustment

Share APP with your family and any person

Works with Amazon Alexa and Google home

Support smart phone APP remote control

Easy installation Easy handling







Operating:-10°C-40°C RH≤80%

Storage: -20°C-70°C RH ≤ 80%

Product Weight (g): about 270

Cable: 1.8m Net weight: 90g









works with amazon alexa







Timer Setting

works with Google Assistant







Smart Star Projector







NX-SK20 B (Blue) SK20 G (Green)









Technical Specification

Power supply: 5V1A

Power Output: < 1 mW per beamlet Classifcation of lasers: Class 1

Work Temperature : $14^{\circ}F \sim 95^{\circ}F$ ($-10 \sim 40^{\circ}C$)

Nebula color: Colorful 450nm

Product Feature

Wi-Fi enabled

Mobile remote control

Voice control

Set Schedules / Timers

Countdown

Sharing

Multi angle adjustment

Multi scenario application

Compatible with Alexa, Google assistant

Laser color: Green, 515-520nm; Blue, 450nm Shell Material: Flame Retarding V0 Class ABS

Product Size (mm): 162L *68W * 162H Net weight: 0.5kg Cable: 1.8m

Control by: Amazon Alexa, Google Home, APP


















amazon alexa









Smart Star Projector Music rhythm







NX-SK23 B (Blue) SK23 G (Green)









Technical Specification

Power supply: 5V1A

Power Output: < 1 mW per beamlet

Classifcation of lasers: Class 1

Work Temperature : $14^{\circ}F \sim 95^{\circ}F$ ($-10 \sim 40^{\circ}C$)

Nebula color: Colorful 450nm

Product Feature

Wi-Fi enabled

Mobile remote control

Voice control

Music mode

Set Schedules / Timers

Countdown

Sharing

Group control

Multi angle adjustment

Multi scenario application

Compatible with Alexa, Google assistant

Laser color: Green, 515-520nm; Blue, 450nm Shell Material: Flame Retarding V0 Class ABS

Product Size (mm): 150L *77W * 150H Net weight: 0.45kg Cable: 1.8m

Control by: Amazon Alexa, Google Home, APP





























Smart Star Projector Music rhythm





NX-SK26 B (Blue) SK26 G (Green)









Technical Specification

Power supply: 5V1A

Power Output: < 1 mW per beamlet

Classifcation of lasers: Class 1

Work Temperature: $14^{\circ}F \sim 95^{\circ}F$ ($-10 \sim 40^{\circ}C$)

Nebula color: Colorful 450nm

Product Feature

Wi-Fi enabled

Mobile remote control

Voice control

Music mode

Set Schedules / Timers

Countdown

Sharing

Group control

Multi angle adjustment

Multi scenario application

Compatible with Alexa, Google assistant

Laser color: Green, 515-520nm; Blue, 450nm Shell Material: Flame Retarding V0 Class ABS+PC

Product Size (mm): 160L*90W*119H

Net weight: 0.5kg Cable: 1.8m

Control by: Amazon Alexa, Google Home, APP

































BR Smart Wi-Fi Plug



NX-SM400

Technical Specification

Rated Voltage: 50 HZ / 60 HZ, AC100-250V

Output Current: 16A(max)

Wireless Type: WiFi 2.4GHz; Bluetooth 4.2

Radio Technology: IEEE 802/11B/G/N

Operating:0°C-40°C RH≤80%

Product Feature

Wi-Fi enabled

Mobile remote control

Voice control

Timing

Countdown

Sharing

Energy monitoring

Group control

Over-current/over-voltage protection Compatible with Alexa or Google assistant.



Storage:-20°C-70°C RH≤80%

Shell Material: Flame retarding V0 class ABS +PC $\,$

Controlling Distance: No distance limitation

Net weight: 70g

Product Size(mm): 84L*38W*62H

















Brazil Smart Power Strip

EU Smart Power Strip





NX-S50

Technical Specification

Rated Voltage: 50HZ/60HZ AC110-240V

Output Current : 10A (max)

Wireless Type : WiFi 2.4GHz ; Bluetooth 4.2

Radio Technology: IEEE 802.11 B/G/N Storage Temperature: -20 °C-70 °C RH≤80%

Product Feature

4 Gang + 4 USB Conception

Individual control

Wi-Fi enabled

Mobile remote control

Voice control

Set Schedules

Countdown

Sharing

Group control

Surge protection

Control individual or together





Shell Material : Flame retarding V0 class ABS + PC $\,$

Controlling Distance: No distance limitation

Net weight: 265g

Product Size(mm): 253L*64W*37H











?

WI-FI enabled







NX-S53

Technical Specification

Rated Voltage: 50HZ/60HZ AC110-240V

Output Current: 13A (max)

Wireless Type : WiFi 2.4GHz ; Bluetooth 4.2

Storage Temperature: -20 °C-70 °C RH≤80%

Radio Technology: IEEE 802.11 B/G/N

Product Feature

3 Gang + 4 USB desgin

Individual control

Wi-Fi enabled

Mobile remote control

Voice control

Set Schedules

Countdown

Sharing

Group control

Control individual or together







Shell Material : Flame retarding UL94V0 class ABS+PC

Controlling Distance : No distance limitation

Net weight: 591g

Packing quantity: 50 pcs/ctn







Voice Control









Smart Wi-Fi Switch Smart Garage Controller





NX-SM505 & NX-S70

Technical Specification

Input Voltage: AC110V -240V

Output: 10A & 5A Maximum Load

Wireless Type: 2.4GHz; Bluetooth 4.2

Radio Technology: IEEE 802.11 B/G/N

storage Temperature: -20°C -70°C RH≤80%

Product Feature

Wi-Fi enabled

Simple to install

10A & 5A power design

Set Schedules and timers

Remote control from anywhere

Share device with family

Group control

Compatible with Alexa or Google assistant.









Controlling Distance: No distance limitation

WI-FI enabled

App Support: IOS 8.0 or higher, Android 4.1 or higher

Net weight: 47g

Packing quantity: 150 pcs/ct

Product Size(mm): 88L*39W*23.5H













Timer Setting





